Matter No.: 13913-194001

Applicant(s): Martin Erdtmann, et al.

CONTEXT RESOLUTION





FIG. 1

<u>100</u>



points to the release predecessor

В means that B is an extension of A A

FIG. 2




FIG. 3

E	\mathbf{V}_2	$\mathbf{V_1}$	Context chain	Condition
(SEM, 3.5)	+			
	(SEM, 3.5)			
		(SEM, 3.5) —	+	
			(SEM, 3.5)	
	 	R_1		$(SEM,3.5) \in Def(R_1)$
		(SEM, 3.2) —	→	
	†		(SEM, 3.2)	
				(SEM,3.2)∉Def(R ₁)
	R ₂			$(SEM,3.5) \in Def(R_2)$
	(BW, 30B) —	-		
	<u> </u>	(BW, 30B) —	+	
			(BW, 30B)	
		R_1		(BW, 30B)∈Def(R ₁)
		(BW, 30A) —	→	
	h		(BW, 30A)	
				(BW, 30A)∉Def(R ₁)
,-+-+				(BW, 30B)∉Def(R ₂)

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

APO 30A
WebAS
620

FIG. 9

1000




FIG. 10




FIG. 11




FIG. 12

Matter No.: 13913-194001 Applicant(s): Martin Erdtmann, et al.

CONTEXT RESOLUTION




FIG. 13

.




FIG. 14

;;

First level:

A

B
C
D

Second level:

Third level:




FIG. 15




FIG. 16

F \bigcirc

(H)

FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23

Applicant(s): Martin Erdtmann, et al. CONTEXT RESOLUTION




FIG. 24





FIG. 25

Level 1:

(ABC 1.5)

Level 2:



Level 3:




FIG. 26

APO 30A CRM 3.1

WebAS 620 WebAS 630

FIG. 27




FIG. 28

Applicant(s): Martin Erdtmann, et al. CONTEXT RESOLUTION




FIG. 29


A


Applicant(s): Martin Erdtmann, et al. CONTEXT RESOLUTION

(XYZ 1.0)

Level 1:

Level 2:





Level 3:

FIG. 30




FIG. 31




FIG. 32




FIG. 33